

# INTERLEAVED DRAW TAPE BAG ON ROLL CONVERTING SYSTEM


[Common Type for Long / Short Bags]



## TA-IPD-XL



## Flowchart



## Features

- Servo driven shuttle track sealing and perforation system.
- Reliable versatile system to produce a wide variety of bag on roll products including Poly-Draw, Star Seal, Produce Bag, Table Cover, Conventional Bag and many more.
- Equipped with operator friendly PLC touchscreen control interface.
- In-line Labeling machine.
- The double sealing device can increase production speed for smaller bag width.

## Specifications

\* Specification subject to change without notice

| MODEL                    | TA-1000IPD-XL                       |
|--------------------------|-------------------------------------|
| Single Thickness (mm)    | HDPE 0.008~0.025 / LDPE 0.020~0.100 |
| Machine Speed (M/min)    | 20~140                              |
| Max. Output (pcs/min)    | 280                                 |
| Max. Dia of Product (mm) | Φ180 * W 275                        |
| Draw-Tape Width (mm)     | 100                                 |
| Draw-Tape Thickness (mm) | 0.020~0.025                         |
| Power Required (kw)      | 57.4                                |

[www.lungmeng.com.tw](http://www.lungmeng.com.tw)



**LUNG MENG MACHINERY CO., LTD.**

**Headquarters**

No. 20, Huan Kung Rd.,  
Yung Kang Ind. Area,  
Tainan City 710, Taiwan  
T.+886-6-232-1126  
F.+886-6-203-1178  
E.[sales@lm-hq.com](mailto:sales@lm-hq.com)

**Taipei Office**

6F-7, No. 28, Sec. 3,  
Ren-ai Rd., Da-an Dist.,  
Taipei City 106, Taiwan  
T.+886-2-2706-0758  
F.+886-2-2706-0658



uCloud